

References

- Allee, W. C. 1912. An experimental analysis of the relation between physiological states and rheotaxis in isopods. Jour. Exp. Zool., 13: 270-344.
- Allen, K. R. 1940. Studies on the biology of the early stages of salmon (Salmo salar). Jour. Anim. Ecol., 9 (No. 1): 1-23.
- _____. 1951. The Horokiwi Stream. New Zealand Dept. Fish., Fish. Bull., No. 10: 1-231.
- Ball, R. C. and D. W. Hayne. 1952. Effects of the removal of the fish population on the fish food organisms of a lake. Ecology 33: 41-48.
- Benson, N. G. 1954. Seasonal fluctuations in the feeding of brook trout in the Pigeon River, Michigan. Trans. Am. Fish. Soc., 83 (1953): 76-83.
- Brown, M. E. 1946a. The growth of brown trout (Salmo trutta Linn.), II. The growth of two-year-old trout at a constant temperature of 11.5 degrees C. Jour. Exp. Biol., 22: 130-144.
- _____. 1946b. The growth of brown trout (Salmo trutta Linn.), III. The effect of temperature on the growth of two-year-old trout. Ibid: 145-155.
- Cooper, E. L. 1953. Periodicity of growth and change of condition of brook trout (Salvelinus fontinalis) in three Michigan trout streams. Copeia, 1953 (2): 107-114.
- Cooper, E. L., and N. G. Benson. 1951. The coefficient of condition of brook, brown, and rainbow trout in the Pigeon River, Otsego County, Michigan. Prog. Fish-Cult., 13: 181-192.

- Eggleton, F. E. 1931. A limnological study of the profundal bottom fauna of certain fresh-water lakes. Ecol. Monogr., 1: 231-332.
- Frost, W. E. 1939. River Liffey Survey II. The food consumed by the brown trout (Salmo trutta Linn.) in acid and alkaline waters. Proc. Roy. Irish Acad., 45 (Sec. B, No. 7): 139-206.
- Mittkowsky, R. A. 1925. The food of trout in Yellowstone National Park. Roosevelt Wildlife Bull., Vol. 2, No. 4: 470-497.
- Needham, P. R. 1938. Trout Streams. Comstock Pub. Co., Inc., Ithaca, New York. 233 pp.
- Neill, R. M. 1938. The food and feeding of brown trout (Salmo trutta L.) in relation to the organic environment. Trans. Roy. Soc. Edinburgh, 59 (Part II, No. 18): 481-520.
- Pennak, R. W. and E. D. Van Gerpen. 1947. Bottom fauna production and physical nature of the substrate in a northern Colorado trout stream. Ecology 28: 42-48.
- Surber, E. W. 1937. Rainbow trout and bottom fauna production in one mile of stream. Trans. Am. Fish. Soc., 66 (1936): 193-202.
- _____. 1951. Bottom fauna and temperature conditions in relation to trout management in St. Mary's River, Augusta County, Virginia. Va., Jour. Sci., 2 (No. 3): 190-202.
- Went, A. E. J. and W. E. Frost. 1942. River Liffey Survey V. Growth of brown trout (Salmo trutta L.) in alkaline and acid waters. Proc. Roy. Irish Acad., 68 (Sec. B, No. 7): 67-84.

INSTITUTE FOR FISHERIES RESEARCH
Robert J. Ellis and Howard Gowing

Approved by: G. P. Cooper

Typed by: Anne E. Kruse