APPROVED LAND CORNER P.A. 345 OF 1990 - Bay County Date _3 Oct 76

Michael MacDonald P.S. County Representative

Bay County Remonumentation

MAY 2 0 1997

walsty av TENOR TENOR

LAND CORNER RECORDATION CERTIFICATE Filing Requirement of Act 74, Mich. P.A. 1970

For corners in	LAND C Filing F	ORNER RECORDATION Requirement of Act 74, Mi	CERTIFICATE	THE STATE OF THE	STEEL PART
Bay (County)	Located In:	Corner Code #			
1. Public Land Survey	TI3N R 4E T R T R	<u>l-6</u>	BAY COUN	Dec 30	<i>7</i> 2
2. Property Controlling in Section3. Miscellaneous Property in Sec.	S TR S TR S TR S TR S TR		TO MICHIGAN	OF PENS	CGORDED
4. Lot No, Recorded 5. Private Claims	d Plat	:	Register of I	Deeds Stamp & F	ile Number
I. Paul M. Ciosek , in requirements of P.A. 74, Michigan P. conformance with regulations and rules United States Department of the Interior that the corner points mentioned in line Board of Land Surveyors or by a Directored, found as expressed below: NOTE: Not more than 2 corners, a on this certificate.	in the same town and ra	nent or by a decree of a Court of La conformance with the rules of the lestablished, re-established, monu- inge, may be recorded	e were in	E F G H I	J K L N
I-6 Set post - J. Mullett - 1839. Distance to N 39.21'; S 39.27' and E (no call). Distance to N 39.21'; S 39.27' and W (no call).*	79.03' - H. Cary - Novembe	Bierlein Subdi T13N, R4E (nd	ivision, L. 6, P. 54, part of NW 1 o call). on - Spicer Engineering Notes rded Surveys - L. 710, P. 425; I		
B. Description of corner evidence for	ound and/or method appl	ied in restoring or reestablishir	ng corner:		
l-6 Fnd 5/8" square rebar, 1' high w	rith 1/2" x 3' bigh reher a				

I-6 Fnd 5/8" square rebar, 1' high with 1/2" x 3' high rebar 0.3' S. Position fits closely with H. Cary, C.S., distance from 1879 and 1880, N (39.21 ch (R) vs. 39.195 ch calc) E (79.03 ch (R) vs. 79.077 calc). W (80.77 ch (R) vs. 80.79 ch calc) S (39.27 ch (R) vs. 39.53 calc). Accepted square rebar per Spicer Engineering Notes and recorded surveys as best available evidence of the position of the original

C. Description of monument for corner and accessories established to perpetuate locating the position of the corner.

Remove 5/8" x 4' long rebar and set Bay County Remonumentation mon (5/8" x 36" rebar with brass cap marked by 3/16" drill hole) in 4" x 18" plastic sleeve filled with cone and surrounded by 30± stones placed the fnd 1/2" rebar x 5/8" square rebars along side of mon as guard stakes.

N 24° W 24.71' to nail and tag in NE face of 16" Ash. S 62° E 6.75' to nail and tag in N side twin 5" Ash. S 01° E 30.18' to nail and tag in W side 6" Ash. S 50° W 28.91' to capped 3/8" rebar 1.5' deep.
N 45° E 21.26' to Wade-Trim witness iron (1/2" x 18" rebar with 2" aluminum cap) on N bank of E-W ditch and opp centerline of shallow ditch to the S. The Mark Street

Signed by	Paul M. Crosek Michigan License No. 25835	
NOTE:	Bearings are by compass & dist are hand See Bay County Remon Field Book Pg. 23	chained

Date 12/23/96

CIOSEK PROFESSIONAL SURVEYOR Nc.

E OF MICHIGAN

PROF**ESSI**GIVAL SU

FORM APPROVED BY MICHIGAN STATE