SURVEY & REMONUMENTATION			12/03/93 12/03/93	111#3384 A33 CERNER \$7.00
FEB 1 7 1994				111#3384 A33 STATE REMON FEE \$2.00
COMMISSION		R RECORDATION CER	172	Dec Dec
For corners in		ment of Act 74, Mich. COUNTY REMONUMENTATION	P.A. 1970 S	RECO
(County)	Located In:	Corner Code ##		
Public Land Survey	7 5S A 18W T 5S R 18W	A-4 A-5	E 07	24 P H '93
	T R T R			
	T R T R			
Property in Sec. S	T R		Register of Dee	ds Stamp & File Number
4. Lot No, Recorded			АВС	DEFGHIJKLM
5. Private Claims			2 6 3	3 2 1
I, John G. Kamer, in a field of hereby certify that under requirement in lines 1 and 2 above were in conform current manual of survey instructions of Management or by a decree of a Court of above were in conformance with the rule Court of Law: established, re-established expressed below:	s of P.A. 74, Michigan P.A. o lance with regulations and the United States Departn Law and/or that the corner is of the Michigan Board of	rules therefore as required tent of the Interior, Bureau o points mentioned in lines 3, 4 Land Surveyors or by a Decr	tioned 6 18 18 18 18 18 18 18 18 18 18 18 18 18	20 21 22 23 24
NOTE: Not more than 4 corners, a on this certificate.	ill in the same town and	range, may be recorded	"	29 28 27 26 25 32 33 34 35 36
A. Description of original monumer A-4 Corner not established by (Recorded in Liber 1, Pg. PP N 45° W 34.55'. MDOT Na fnd ½" rebar N 6.60' (E½ 1	original government s 332) & John G. Kamer	furvey. Circa 1936-19 fnd. plug. Accessori	n: 83. J.H. Dewey, M.R es Mon. Box N 6.58'	. Rushlow, Richard Garett (Et Cor. 12-5-19), PK in hn fnd. rebar. Accessories O', N 45° W PK in PP 34.55'.
A-5 1830's government post. 19 NW 35.2', Cherry SW 40.3'. 34.22'. Tag in PP S 45° W	36-1950 J H Dower C	PCDC sma stone 3		
B. Description of corner evidence: A-4 Found ½" rebar 6.55' south accepted rebar as best evid	of El 12-5-19 (l" re	plied in restoring or rees bar). Distances to ac	tablishing corner: djacent corners are	reasonable and consistent,
A-5 Found steel ball in Mon. Be reasonable and consistent,	ox 6.46' South of SE accepted steel ball	Cor. 12-5-19 (steel bass best evidence of co	all), distances to a priner.	djacent corners were
			_	•
			•	
C. Description of monument for co A-4 This position not estal surveyors. This monument is	olished by original gos accepted as the bes	overnment A-5 Set t available in place	standard 3' pipe water of steel ball and	brass plate in Mon. Box is accepted as a careful
evidence of the position of Set standard 3' pipe with br brass plate in Mon Box N 6.5 Set nail w/tag in PP N 53E 4 Set nail w/tag in PP N 25W 7 Top bydrant N 49W 49.28'	rass plate in Mon. Bo: 55' 12.62' 75.98' Section 10 HN	x pipe with origina Pipe w/ Set Nai Set Nai	thful perpetuation of corner. brass plate in Mon. 1 & witness tag in 1 1 & witness tag in 1 2 & witness tag in 1	PP S 51° W 43.24' PP S 74° E 77.25'
100-1	LAND SUF	_		
Signed by	TOWO KINED LA	ND SU Date	12-02-	43
Surveyor's Michigan License No.	27449		FORM APPROVED BY MICHIGAN S	
\bigvee	LIBER 3	PAGE 59		REVISED MAY 14, 1975 REVISED JAN., 1983