LAND CORNER RECORDATION CERTIFICATE

Filing Requirement of Act 74, Mich. PA 1970

For Corners In: CLARE	Located In	Corner Code #		
(County)				
1. Public Land Survey	T 17N R 5W	<u>H11</u>		
Property Controlling in Section	S T R			
Miscellaneous Property in Section	STR STR		Register of Deeds Stamp & File Numb	<u>ser</u>
4. Lot No:	Recorded Plat:			
5. Private Claims:			A B C D E F G H I J K L M	
I, Craig W. McVean, in a field survey on July, 1999 do hereby state that under requirements of PA 74, Michigan PA of 1970, the corner points mentioned in lines 1 and 2 above were in conformance with regulations and rules therefore as required in the current manual of survey instructions of the United States Department of the Interior, Bureau of Land Management or by a decree of a Court of Law and/or that the corner points mentioned in lines 3, 4 and 5 above were in conformance with the rules of the Michigan Board of Land Surveyors or by a Decree of a Court of Law; established, re-established, monumented, recovered, found as expressed below:				
NOTE: Not more than 2 corners, all in the same town and range, may be recorded on this certificate.			10 30 29 28 27 26 25 11 12 31 32 33 34 35 36 11 13	
H11- 1839- GLO- H. Nicl Set ½ post 26" Black Ost 10" Maple N - 1900*/ CSR- Bk Cinder tile at Hemlock stu - 1972- LCRC #29-7 Fnd cinder ti	ak S 64°E 12 Links 75°W 20 Links 6, P. 27 nd stake b 18" S10.5°E 34 Links 72- P. Lapham, L.1 P.57 le with 5/8" bar inside ' Red Oak 12" ' Beech 16"	- 1973- LCRI Fnd. S40° N35° - 1977- LCRI Fnd.	C #90-73- A. Courtright, L.1 P.179	
H11- 1/4 corner commor tile - down 1.2'. F and 5/8" x 1' iron re Added a few cobbl	evidence found and/or method ap n to Sec. 27 & 34 - Found ½" Ret ound rotten remains wood stake od and replaced with 2" aluminun es with concrete around cap. Fa evidence of the position of the ori	par raising 5/8" iron rod on on east side of tile. Remo n cap properly stamped on alls in E-W gravel rd. 2" alu	East side red VIT. clay ved ½" x 18" Rebar 5/8" x 34" Rebar down - 0.8'.	
H11- 2" aluminum cap of South 32.98 to cap S36°W 26.09' to se N40°W 48.57' to fn N53°E 73.99' to se S68°W 54.96' to se	ent for corner and accessories es n 5/8" x 34" Rebar in rotten wood ped iron rod #13037. Added blue et nail and tag in SE side 28" Sug d nail in NE side 19" Twin Red O t nail and tag in S side 3" Scotch et nail and tag in S side 24" Red N & accepted in place of Clare Co. I	I stake on E. side tile. e carsonite post with location ar Maple (PL, AC, MM) eak (PL, AL, MM) Pine Maple	CRAIG W. MCVEAN PROFESSIONAL SURVEYOR No. 39088	/*
Signed by: Surveyor's Michigan L	nuy W, Ma 2 icense No.: 39088	Date:	10/18/2000 AnoFESSIONAL	-
		·····		