

MC	LIVE	)
EUS.	RECO	Sa.
W+5	いてもの	3H

	1993	}	CHEBOY	GAN COU	NTY REMONUMENTA	ATION CORNER			
and the state of t			LA	ND CORNI	ER RECORDATION CE	ATION CORNER 93 DEC 29 PM 2: 25			
COMMISSION COMMISSION			Filing Requirement of Act 74, Mich. I						
	CHEBOYGAN		Located	łn:	Corner Code =44	CLERK/REGISTED			
	(County)					LHEBOYGAN COUNTY, MICHIGAN			
1.	Public Land Survey		T 34N	R <u>2W</u>	M-10				
				_ R					
				_ R					
				_ R					
2.	Property Controlling		T			· I			
	in Section		T			·			
3.	Miscellaneous			_ R		Register of Deeds Stamp & File Number			
	Property in Sec.	S	т	_ R					
4.	Lot No	Recorde	ed Plat			A B C D E F G H I J K			
	Private Claims								
						2 - 6 5 4 - 3 2			

Richard C. Dunn in a field survey on November 1 - 12 do hereby certify that under requirements of P.A. 74, Michigan P.A. of 1970, the corner points mentioned in lines 1 and 2 above were in conformance with regulations and rules therefore as required in the current manual of survey instructions of the United States Department of the Interior, Bureau of Land Management or by a decree of a Court of Law and/or that the corner points mentioned In lines 3, 4 and 5 above were in conformance with the rules of the Michigan Board of Land Surveyors or by a Decree of a Court of Law; established, re-established, monumented, re-monumented, recovered, found as expressed below:

NOTE: Not more than 4 corners, all in the same town and range, may be recorded on this certificate.

Description of original monument and accessories and/or subsequent restoration:

G.L.O. John Mullett 1840 Set 1/4 Sec. Post Section 25 T34N-R2W and Section 30 T34N-R1W 8" B.Ash S33°W.16. 6" B. Ash N26°E.11.

Found 2" Pipe and 4" tall cedar post by unknown surveyor.



10

11

B. Description of corner evidence found and/or method applied in restoring or reestablishing corner:

Found 2" Iron Pipe and 4' Tall Cedar Rost by unknown Surveyor that fits GLO ties to stream crossings.



C. Description of monument for corne cessories established to perpetuate locating the position of the corner:

M-10	Replaced 2" Pipe with a 5/8" x 30" Iron Rod and 3" Remon. Cap and is accepted as a careful and faithful reestablishment of the position of the original corner.							
	6~ Cedar	S65°W	16.15'	Set 60 d Spike				
	8" Cedar	S20°E	18.92'	Set 60 d Spike				
	15" Cedar	S60°E	8.91'	Set 60 d Spike				

Signed by Ruked (	" Clear	Date	December	29 <b>,</b> 1993	3	
Suprover's Michigan License No.						