## LAND CORNER RECORDATION CERTIFICATE Filing Requirement of Act 74, Mich. P.A. 1970

C: ANKIN		•	
GLADWIN (County)	Located In: C	Corner Code ##	
,	T 20N R 2E	H-7, I-6,	
Public Land Survey	T R	1-7	
	T R		
2. Property Controlling	S <u>15</u> T R	15	
	S T R	Regis	ter of Deeds Stamp & File Number
Property in Sec.	S T R		
4. Lot No , Reco	orded Plat	····	A B C P E F G H I J K L M
5. Private Claims			2 6 5 4 3 2
			3
CARL F. ROSER	a field survey on JUNE 9	ΩŤ	4 - 7 - 4 - 9 - 10 - 11 - 12 - 12
*, <del></del>	n a field survey onUNL Y ements of P.A. 74, Michigan P.A. of 1970	the corner points mentioned	5
in lines 1 and 2 above were in co	enformance with regulations and rules ons of the United States Department of	therefore as required in the	6 - 18 - 17 16 15 14 13 - 1
	ons of the United States Department of ourt of Law and/or that the corner points		8 19 20 21 22 23 24
	ne rules of the Michigan Board of Land stablished, monumented, re-monume		9
expressed below:		1	0 30 28 27 - 26 25
	ers, all in the same town and rang	ge, may be recorded	<u> </u>
on this certificate.			2 31 32 33 34 35 36
	nument and accessories and/or su		
Н-7	1-6	1-7	15
B. Description of corner evide H-7	ence found and/or method applied	d in restoring or reestablishing co	orner: 1 <b>5</b>
REESTABLISHED S 1/4 COR S-15	ACCEPTED FD T.O'BRIEN 2" DAK	REESTABLISHED SE COR S-15	ESTABLISHED SE COR OF SW 1/4
MIDWAY & ON LINE BETWEEN SW & SE SEC COR'S OF S-15. COR FALLS IN CTR E-W GRAVEL ROAD.	HUB FOR W 1/4 COR S-14. SEE L.C.R.C, Li. 1, Pg.142, DATED 3-12-76. COR DOES FIT U.S. STREAM TIES & SWP EDGE TO	DOUBLE-OVER DISTANCE FROM FD SE COR S-14 AND REESTABLISHED S 1/4 COR S-14. CTR OF 29' WIDE E-W GRAVEL RD IS 2'	OF SW 1/4 OF S-15 PER STANDARD BLM INSTRUCTIONS, CTR E-W GRAVEL ROAD IS 3' MORTH.
	NORTH. CORNER IS MEAR NN CORNER OF SMALL ISLAND OF HIGH	SOUTH. SEE PS, TON O'BRIENS	
	GROUND IN TAG ALDER-WILLOW	CERT OF SUR IN SEC 11 & 14, Li. 1, Pg. 698; AND DUR	
	SMAMP.	L.C.R.C. FOR J-7 & K-7.	
H-7 DR 5/8" X 34" REROD W/RLS CAP.  5" MAPLE(CLP3) N10"N 48.5' 4" OAK N20"E 44.1' 3" THIN ASH S40"E 50.7' 5" ELH S20"W 47.2' SET CED POST W/ LOC TAG. NORTH 45'	REPL'D W/DWR MON, SET CED POST.  6" N PINE N20°N 39.5'  \$12" MAPLE N35°E 51.1'  \$14" MAPLE S30°E 43.7'  10" CEDAR S30°N 119.6'	I-7 DR 5/8" X 34" REROD N/RLS CAP.  12" N PINE N25"N 61.5' 6" N PINE N35"E 67.1' 14" N PINE S55"E 77.8' 7" R PINE S25"N 49.3' SET CED POST N/ LOC TAG. NORTH 45'	15
H-7 DR 5/8" X 34" REROD N/RLS CAP.  5" MAPLE(CLP3) N10"N 48.5' 4" OAK N20"E 44.1' 3" THIN ASH S40"E 50.7' 5" ELM S20"N 47.2' SET CED POST N/	I-6 FD SPK IN 2" HARDDNOOD HUB. REPL'D W/DNR MON, SET CED POST. 6" N PINE N20°N 39.5' \$12" MAPLE N35°E 51.1' \$14" MAPLE S30°E 43.7' 10" CEDAR S30°N 119.6'  RRLS T.O'BRIEN 1976 NIT.	I-7 DR 5/8" I 34" REROD N/RLS CAP.  12" N PINE N25"N 61.5' 6" N PINE N35"E 67.1' 14" N PINE S55°E 77.8' 7" R PINE S25°N 49.3' SET CED POST N/	15 DR 5/8" X 34" REROD N/RLS CAP.  10" B DAK N40"N 51.4' 4" N PINE N45"E 67.0' 16" R PINE S70"E 98.2' 3" N PINE S30"N 38.0' SET CED POST N/