SURVEY & REMONUMENTATION

<u>-</u>,`

KENT COUNTY REMONUMENTATION

. ; . . .

• • •	MOWE		RECORDATION	CERTIFICATE	50	RECEI	
		Filing Require	ment of Act 74, Mic	h, P.A. 1970 	9 97		
For corners in CO	OMMISSION Located In:	Corne	er Code#	}	E PV	8 76 WED	
(County)		4416	J- <u>10</u>		S	e Sag	
1. Public Land St	urvey T <u>s</u>	N R 11W	3 10			8 8 3	
	ή_						
	<u>T</u>	R		7	``````````````````````````````````````)	
Property Cont in Section	rolling S T.	R			`9402		1
3 Miscellaneous	sT	K			Register of Deed	s Stamp & File N	Imper
Property in Se	:c. <u></u> .					. 7	t T M
4. Lot No. 5. Private Claim	, Recorded Plat			1	6 - 5	F G H I J	
	,		2.2	a tamatan i	7 - 8	9-10-11-	
Kirk Brei	tels in a field s A. 74, Michigan P.A. of 1970 equiations and rules therefore	urvey on Sept.	9 19 96 do hereby	state that under 2 above were in	5	╽╸ ┼╍┼╍┼╌┼	++-
requirements of P. conformance with r United States Depr	A. 74, Michigan P.A. of 1970 regulations and rules therefore), the comer points i e as required in the cu	irrent manual of survey in	structions of the Int of Law and /or	6 10 17	-161514	13-
					7	32 -7223	24-
that the corner pu	irvevors or by a Decree of	a Court of Law; e	stablished, te-established	-,	8 19 20		
recovered, found a	is expressed below:	. come town and ra	nge, may be recorded		10 - 30 - 29	_2827	25-
NOTE: Not mo	ore than 2 comers, all in the certificate.	Sallie town one			11		536
Ott me	Сентолго				12 -31 -32	-33 -34 -3	30-
					13		
	of original monument an	d accessories and	or subsequent restor	ation:			
A, Description	337GLONot S	et	. – 04	sere of h	lat monument		
J-10 18	924-88W1111ams		+ + /O" Tron			•	
1!	972LCRC #284	γαηκοστεή- 14.78' PP	NNW 111.19' T	p SSW 60.10°			
1	agesurveyE.	Glaza	1/4 001	nor VanKoote	n wit.		
· 👬	987LCRC #4500-		20°W 111.26'	36" Qak W 14	,931		
- 2점 - 설립		nd and/or method	applied in restoring o	Liecaraniiatiina oo.	ner:		
B. Descripti	on of corner evidence load	P 1 UC		nesses:	Pole N20°W	111.22'	
= XX - XX	Nail N. side 40"	Oak West	14.93'		ion of 1	/A lines and	I
=/; ∀: e :	Nail N. side 40° aid 1 1/2" Iron F grees with survey	pipe is 3.9	s. and 0.1' W	. from inter	Medema & Va	nKooten and	
_ <u>B</u> :	grees with Suivey	Micao					
_1.4	illiams & Works.	_	the motion and i	s generally	accepted by	profession	al
The 1	illiams & Works. 1/2" Iron Pipe ors as the best	is accepted Vailable ev	idence of the	position of	the corner	or'	
survey	ors as the best .	u abosestie	s established to perpe	tuate locating the t	compon of the com		******
C. Descrip				of 1 1/2" I	on Pipe		1.54
	COT NOT I O NO TO	11.0	side 50" Oak	SAU-W 40		KIR KIR	
	C/L top fire my	man tan F	side P. Pole	S20°W 91	.93'	BREITI	as 🐉 🤄
2007 2007 2007	Set Nail & KC Re Set Nail & KC Re	emon. tag E.	side P. Pole	N10°W 111 S60°E 39	. 24 . 98'	BREITI LAM SURVE	•
- (*) (*) (*)						300	
1.65 2.65 4.67	C/L N-S Asph. Ro	44 1 0 m, ,					
		1 11	7		10/11/96	1.6 %	
C. Descrip	1/.h	ant?		Date	10/1/10		- %
Signed by	Minhigan License No.	30077					
Surveyor	s Michigan License No	OR MENT COL	NTY	FORM APPROVED BY	VICHIGAN STATE BOARD	OF PROFESSIONAL SUI	IVEYORS, JAN. 28, 19 REVISED MAY 14,19
	P.A. 343 TO	ROVED/E/2	2/96	FORM METROTOGOT			REVISED JAN., 19 REVISED OCT., 19
	CHAIRMAN	9 fames	2/96 Thukere	•			
	3 , 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,						