JAN 2 4 1996

KENT COUNTY REMONUMENTATION

COMMISSION

LAND CORNER RECORDATION CERTIFICATE Filing Requirement of Act 74, Mich. P.A. 1970

For corners in KENT COUNTY	Located In:	Corner Code #	95 DEC 2	STATE
Public Land Survey	T 8N R 12W T R T R	L-8	OF DEE	
Property Controlling in Section Miscellaneous	T R S T R S T R S T R		8784 Register of Deeds Stamp & Fi	le Number
Property in Section			·	- Mailiber
	, Recorded Plat		A B C D E F G	H J K
		•	3	3 2
Kirk Breitels		t. 13 , ₁₉ 95	. 5	10-1-11-
in lines 1 and 2 above were in manual of survey instruction Management or by a decree 5 above were in conformance.	requirements of P.A. 74, Michigan P.A. of a conformance with regulations and rules ons of the United States Department of a Court of Law and/or that the corner with the rules of the Michigan Board stablished, re-established, monumented, and the conformal control of the Michigan Board stablished, re-established, monumented, and the conformal control of the Michigan Board stablished, re-established, monumented, and the conformal conformal control of the control of the conformal control of the control of the conformal	1970, the comer points mentione therefore as required in the currer of the Interior, Bureau of Lan points mentioned in lines 3, 4 an of Professional Surveyors or by	nt 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	22 - 23 - (
NOTE: Not more than 4 c on this certificate.	corners, all in the same town and rang	ge, may be recorded	11 32 33 3	4 35
A. Description of origina	al monument and accessories and/c	or subsequent restoration:	13	
1930–53 Wi Tw. 18" 1973 LCRC 24" Oak 1986 Surve 1987 Surve	Not Set lliams & Works Iron Oak SE 24.5' 12" Oak S. #631 Spicer 1" Iron S65°E 25.80' 12" Oak S05 y Byl Iron Pipe per LCF y MVK 1" Iron 12" Oak ch Exxel Used per LCRC	°E 26.60' 6" Oak N1 °C #631 S05°E 26.60' 6" Oak	10°W 19.44′	
B. Description of corner	evidence found and/or method app	olied in restoring or reestablis	shing corner:	
L-8 Found 1" Iro 2.4' S. & 0.4' W	on Pipe per remaining witr . of intersection of 1/4	nesses from those abo line.	ove. Said 1" Iron Pipe	is
The 1" Iron Pipe as the best avai	is accepted by me and is lable evidence of the pos	generally accepted ition of the corner.	by professional surveyo	rs
	PEER APP	1990 KENT COUNTY PROYEDY 9/28/25	here	
L-8 Set Standard Fd. Nail 8 Fd. Nail 8 Set Nail 8 Set Nail 8 Set Nail 8 C/L 2 trac	ment for corner and accessories estable if Kent County Monument in if KC Remon. tag W. side 19 if KC Remon. tag SW side 19 if KC Remon. tag SW side 19 if KC Remon. tag SW side 8 if KC Remon. tag SW side Took if	place of the 1" Iro 6" Oak S05°E 2 2" Oak N10°W 1 2" Maple S45°E 1 " Beech S45°W 3 w. 15" Oak N50°W 5		***************************************
simular With	Bruth	12	11/25	
Signed by Surveyor's Michigan Licen	30077	Date	D BY MICHIGAN STATE BOARD OF PROFESSIONAL SURVE	EYORS, JAN. 28. 1971
			RE	EVISED MAY 14, 1975 REVISEO JAN., 1983