A Company

LAND CORNER RECORDATION CERTIFICATE Filing Requirement of Act 74, Mich. P.A. 1970

Aug 16 1 14 PM 94

r corners in		·	STANIAN ALLEN
_ivingston (County)	Located In:	Corner Code =====	NANCY HAVILAND REGISTER OF DELDS LIVINGSTON COUNTY, MI
Public Land Survey	T <u>4</u> R <u>5</u> T R T R	M-7	48843
Property Controlling in Section Miscellaneous	T R S T R S T R S T R		L.S.C.#218m Register of Deeds Stamp & File Number
Property in Sec.	S R		riegister of Deeds Stamp & File Number
	Recorded Plat		ABCUEFBRIJKIJ
hereby certify that under red lines 1 and 2 above were in trent manual of survey instrinagement or by a decree of ove were in conformance with ourt of Law; established, in tressed below: OTE: Not more than 4 con this certificate.	of in a field survey on APP quirements of P.A. 74, Michigan P.A. on conformance with regulations and uctions of the United States Departma Court of Law and/or that the corner the the rules of the Michigan Board of re-established, monumented, re-micorners, all in the same town and	of 1970, the corner points mention of rules therefore as required in ment of the Interior, Bureau of Land Surveyors or by a Decree conumented, recovered, found of drange, may be recorded.	n the Land 7
	monument and accessories and	/or subsequent restoration:	SURVEY &
G.L.O. DATED May G.L.O. WITNESSES	11, 1823 W. Oak 36" S85°W 257 I W. Oak 32" N12°W 340 I	Lks	EMONUMENTATION SEP 2 6 1994
	nry Parker 1823-1825		COMMISSION

Description of corner evidence found and/or method applied in restoring or reestablishing corner:

Found 1/2" rerod. Fit witness by Richard Smith, P.S., Alpha Engineering, and Michigan Group

> P.A. 345 1990, APPROVED BY LIVINGSTON COUNT PEER GROUP ON June 1 1994 CO. REP 1111

Description of monument for corner and accessories established to perpetuate locating the position of the corner:

N.E. CORNER SECTION 24, T4N-R5E

ADDITIONAL HISTORICAL DATA ON BACK OF SHEET

Set 1 1/4" x 36" Breakaway Iron Pipe with Brass Cap (Livingston County Monument Corner) in centerline Center Road and centerline of O'Connell Road N32°W 36.51' Spike W/S 16" Catalpa

OF MO

EDWARD E ANDERSON SURVEYOR &

ENGINEER

N42°E 44.31' Spike W/S 24" Oak S75°E 128.42' Spike N/S 16" Poplar

\$65°W 56.94' Spike E/S 56" Oak

North 33.10 72 Iron


APPROVED BY LIVINGSTON COUNTY MONUMENTATION PEER GROUP JUNE 1, 1994

August 4, 1994

11495 irveyor's Michigan License No. _

Swayer & P

FORM APPROVED BY MICHIGAN STATE BOARD OF LAND SURVEYORS, JAN. 28, 1971 REVISEO MAY 14, 1975 REVISED JAN., 1983



EDWARD E. ANDERSON, P.S., P.E. RICHARD F. FRANK, P.S. BRIAN R. SHALTZ, C.S.T.

Members of:

Michigan Society of Professional Surveyors American Congress on Surveying and Mapping American Society of Civil Engineers

401 S. Leroy St. Fenton, Michigan 48430-2164 (313) 629-8974 FAX (313) 629-9069

May 10, 1994

SUMMARY

M-7 NORTHEAST CORNER SECTION 24, T4N-R5E, DEERFIELD TOWNSHIP, LIVINGSTON COUNTY, MICHIGAN.

Found capped 1/2" rerod (number obliterated) in centerline of Center Road (gravel) to East and West and O'Connell Road (gravel) to the South.

Checked and measured to witnesses we found. Found 4 of Richard Smith witnesses, and they checked, Pages 7, 8, and 14, this dossier. Found 3 of Alpha and The Michigan Group witnesses which were the same, and they checked, Pages 12 and 13, this dossier. Found 1/2" rerod 33.10' North of N.E. Corner of said Section 24 as per Richard Smith survey calling said rerod the N.W. Corner of Section 19, T4N-R6E, Page 7 and 8, this dossier.

Distance from the N 1/4 Corner to the NE Corner of said Section 24 is 2655.02 on Newton field notes, Page 9, this dossier.

Distance from the E 1/4 corner to the N.E. corner of said Section 24 is 2648.47' on Richard Smith Survey, Page 7 and 8, this dossier; and 2648.32' on Michigan Group survey, Page 10 this dossier.

Made a clean sweep of immediate area and found no additional corners or irons.

Gravel Roads running East, West, and South. Road rises to the West and is flat to the South and East.

Terrain is openatoothe N.W., S.W., and S.E. and is lightly brushy to the N.E.

Came to the conclusion that the 1/2" rerod we found is the correct N.E. corner of said Section 24.

Edward E. Anderson

P.S. #11495

EDWARD E

ALEBERSON
SURVEYOR 3
ENCINEER

NO.
11495

TWRSE M-7 Psc