LAND CORNER RECORDATION CERTIFICATE Filing Requirement of Act 74, Mich. P.A. 1970

For corners in	Filin	g Requirement of Act 74, Mi	ch. P.A. 197	0		
Mackinac						
(County)	Located In:	Corner Code #				
1. Public Land Survey	TR_ TR_ TR_					•
Property Controlling in Section Miscellaneous Property in Sec.	TR_ S_29			Register of	Deeds Stamp &	File Number
4. Lot No, Record	ded Plat		<u> </u>			
5. Private Claims			_	A B C D	E F G H	I J K L M
		May 08 2002		2 6 5	4-3-	1 - i -
requirements of P.A. 74, Michigal conformance with regulations and United States Department of the Ir that the corner points mentioned	n P.A. of 1970, the corn rules therefore as require nterior, Bureau of Land N in lines 3, 4 and 5 above a Decree of a Court o	, 20 do hereby street points mentioned in lines 1 and 2 street in the current manual of survey instrainangement or by a decree of a Court of were in conformance with the rules of a Law; established, re-established, in	above were in uctions of the of Law and /or the Michigan	4 7 - 6 5 6 -18 - 1 7	7-16-15	11
, , , , , , , , , , , , , , , , , , , ,				9	21 - 22 -	23 24
NOTE: Not more than 2 comon this certificate.	ers, all in the same tow	n and range, may be recorded	•	10 30 29	2827-	26 25
a t				11		
				12 31 3	23'33'4	35 36
B. Description of corner evic	lence found and/or m	ethod applied in restoring or rees	tablishing com	er:		
10-Sec. 29) Established the north and south, respectively inknown persons, \$88# 28' dis	corner midway and on . From the corner t tant.	a line of mean true bearing b hus established, I found an 8" a line of mean true bearing be	etween Quarter squared balsa	and Section (oximate corner, m	arked by
C. Description of monument	for corner and access	ories established to perpetuate lo	cating the pos	ition of the safe	er.	
(10) Set 1"IDx36" I.pipe with IDNR cap. Blazed, scribed, a measuring nails in: "Cedar N84W 1.85' "S1 "Cedar S39E 2.75' 10" Cedar N25E 14.35' 10" Cedar S48E 5.1' Bearings are magnetic. Distanail with tag.	nd set MD me /16 BT" 6" do 10 do 8" do 10 nnces are to Se	NR cap. Blazed, scribed, and easuring nails in: Cedar S85E 9.25' "E1/16" Cedar S65W 19.25' do Twin Cedar N79W 33.65' do Cedar N40W 35.8' do st cedar post adjacent. Bearingnetic. Distances are to nail	set BT gs are	STEPHA SZYSZKO LANIE SURVEY No. 3398	OSKI OR	*A .
Signed by Supply	m J.S yy	22981	Date	8/13/0	2	
THE PROPERTY OF THE PROPERTY O	NIA *	, 1 ////A				