

MAR 1 8 1999

SECTION

Surveyor's Michigan License No.___

LAND CORNER RECORDATION CERTIFICATE Filing Requirement of Act 74, Mich. P.A. 1970

MARDIETTE COUNTY INCHIGAN RECEIVED FOR RECORD

1998 DEC 16 PH 3: 21

| | Filing Requireme | ent of Act 74, Mich. P.A | . 1970 | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------|-------------------------------------------------------------------------|
| For corners in MARQUETTE (County) | Located In: | Corner Code # | Paz | ticin A. Markey GISTER OF DEEDS of |
| 1. Public Land Survey | T <u>45N</u> R <u>25W</u> T <u>44N</u> R <u>25W</u> TR TR | H-13 H-1 V | | 1 |
| 2. Property Controlling S | T R T R T R | | | IBER ${f R}$ 2 PAGE 79 |
| 4. Lot No, Recorded 5. Private Claims | | | — <u>A B C D</u> | EFGHIJKL |
| I, GERALD W. CARLSON do hereby state that under requirement mentioned in lines 1 and 2 above we required in the current manual of surve Bureau of Land Management or by mentioned in lines 3, 4 and 5 above we Land Surveyors or by a Decree of recovered, found as expressed below: | ents of P.A. 74, Michigan P. vere in conformance with reg by instructions of the United St a decree of a Court of Law were in conformance with the | A. of 1970, the corner point rulations and rules therefore cates Department of the Interi- and/or that the corner point rules of the Michigan Board | 2 6 5 nts as 4 7 8 or, 5 nts 6 18 1' | 7 16 15 14 13 0 21 22 23 24 |
| NOTE: Not more than 2 corners, on this certificate. | all in the same town and r | range, may be recorded | 9 10 30 29 | 928272625 |
| A. Description of original monum H-13: Quarter Corner common to 1844: William A. Burt's original su post referenced by: 6* Tamarack N40E, 27 | Section 34, T45N-R25W, rvey notes describe the con | and Section 3, T44N-R25 | | 2 33 34 35 3 |
| 1941: Survey notes from M.C.R.C Pipe and Post in Swamp. No access No Date: M.C.R.C. Government Coaccessories given. | ssories given. | | | Post in Swamp. No |
| 1982: A Certificate of Survey by 6 monumented corner. Distance N89 S.W. Corner of Section 34. No according to the corner of Section 34. | 3-22'-30"E, 2638.28' to th | tome Corporation (No Libe ne S.E. Corner of Section 3 | r and page given), inc 34. Distance S89-06' | dicates the corner as a -46"W, 2676.24' to the |
| - · · · · · · · · · · · · · · · · · · · | d W. Carlson P.S. #24589 ainted it orange, and set a .58' 4" R. Pine .55' 3" Spruce | in L. 5, RC Pg. 40, indica 3" square Tamarack post N65E, 28.24' S65W, 15.02' | tes the corner as a fo alongside pipe. Refer | und 1" Pipe, 2' high, and enced by: |
| B. Description of corner evidence H-13: 1998: No original corner evidence 2-track road. Bearings and distance on witness trees had been painted Call: East, 385', Left Swamp Court | idence found, Found and ac es to found references che I blue. Checked Line Call:(L | ccepted a 1 1/2" Iron Pipe ok very well with those re eave Swamp, Course N. 8 | e, 1.5' above ground, corded in L. 5, RC Pg k S., 7.00 chains [46] | j, 40. Found pipe and blazes |
| | (2" Iron Pipe with a 2 3/8" ent stamped to identify the shers in existing references .49' (Carlson NBT) | O.D. aluminum pipe cappe e corner. Monument is a d s, and painted blazes orang 6" R. Pine | ed with a 3 1/4" diam triveable "swamp" mo ge: N63E, 28.07 | neter aluminum tablet onument, 0.3' above ground 7' (Carlson NBT) |
| 7" Spruce S61E, 30 Set Green Steel Sign Post w/ Yello Note: Bearing trees have painted that and stamped B.T. Tags affixed. | | 5" Spruce \$76W, 3.65' zes, d.h. measuring nails, | S63W, 15.07 | (Carlson NBT) |
| | | P.A. 345 OF 1990 Samy Bus DATE Nova, 15 | κÑ | GERALD W. CARLSON SURVEYOR No. 24589 |