## LAND CORNER RECORDATION CERTIFICATE

Filing Requirement of Act 74, Mich. P.A. 1970, 9.00 HISCELLANEOUS RECORDING

\$ 2.00 REHONUMENTATION

RECEIPTS 48 4 DEC 98 8:38 A.M. RECORDED - CAKLAND COUNTY PAID

别:

1 . 1

G. WILL IAN CADDELL CLERK/REGISTER OF DEEDS

> Compliance with ACT 345, P.A. 1990

1-20-9 APPROVED ON: OAKLAND COUNTY REMONUMENTATION PEER GROUP COMMITTEE


Register of Deeds Stamp & File Number

For corners in	Filing Requirement of Act 74, N	
Oakland (County)	Located In:	Corner Code #
1. Public Land Survey	T <u>4N</u> F T F T F	
Property Controlling     in Section     Miscellaneous     Property in Sec.	S TF S TF S TF	

, Recorded Plat 4. Lot No. 5. Private Claims

I, Grant J. Ward, R.L.S., in a field survey on August 13 19 97 do hereby state that under requirements of P.A. 74, Michigan P.A. of 1970, the corner points mentioned in lines 1 and 2 above were in requirements or F.A. 74, microgan F.A. or 1979, the control points maintained in lines 1 and 2 access there in conformance with regulations and rules therefore as required in the current manual of survey instructions of the United States Department of the Interior, Bureau of Land Management or by a decree of a Court of Law and /or that the corner points mentioned in lines 3, 4 and 5 above were in conformance with the rules of the Michigan Board of Land Surveyors or by a Decree of a Court of Law; established, re-established, monumented, recovered, found as expressed below:

NOTE: Not more than 2 comers, all in the same town and range, may be recorded on this certificate.



- A. Description of original monument and accessories and/or subsequent restoration:
  - Post, per G.L.O. Notes. J-3
- B. Description of corner evidence found and/or method applied in restoring or reestablishing corner:
  - North 1/4 Corner of Section 11, T. 4 N., R. 8 E. Found Monument 2.5' North of Centerline of J-3 Rattalee Lake Road, 0.2' below Road Surface.

4200 FILE Previously Recorded in L. 5974 P. 620 (3), L. 9428 P. 420 (4), L. 9683 P. 762 (4) and L. 12868 P. 607 (3) of Oakland County Records.

(n) Indicates the number of references that confirms this corner by dimensional tie.

This corner location is accepted by the contractor and is generally accepted by professional surveyors as the best available evidence of the position of the original corner.

C. Description of manument for corner and accessories established to perpetuate locating the position of the corner:

SIATE OF MICHIGAN GRANT J. WARD LAND SURVEYOR NO. CS 22445
CRED LAND SUNT

12.54' N 05° E

S 65° W

N 60° W

22445

J-3 Set 5/8" Iron Rod and Remonumentation Cap.

Set MAG Nail & Remonumentation Disc in East face of 6" Hickory.

Set MAG Nail & Remonumentation Disc in 48.92". S 65° E

Northeast face of Twin 16" Oaks. Set MAG Nail & Remonumentation Disc in

Northwest face of 30" Oak.

Set MAG Nail & Remonumentation Disc in Southwest face of 16" Oak.

Found "+" on Rock.

South

62.85'

42.56'

Date January 2, 1998

Surveyor's Michigan License No.

ATTOM COUNTY

MAR 11 1999

# UMR 19238PG050

SECTION

**JANUARY 13, 1998** 

Corner Code: J-3

DOSSIER FOR: THE SOUTH 1/4 CORNER OF SECTION 2, SPRINGFIELD TOWNSHIP, T 4 N, R 8 E, OAKLAND COUNTY, MICHIGAN. Prepared under contract with the County of Oakland Under Act 345 of the Public Acts of 1990.

The boundary of this Township was surveyed by Alex Holmes, D.S. in 1815 and Joseph Wampler, D.S. set the Corners for the subdivision of it in 1823.

### **SPECIAL NOTES:**

This Corner has been accepted and used since before 1972, as evidenced by a recording under Act 74 of the Public Acts of 1970 by Forrest R. Jones, Surveyor as recorded in Liber 5975, Page 328.

### **COLLATERAL EVIDENCE:**

This Corner lies 2.5 feet North of the Centerline of Rattalee Lake Road. There are two driveways running South 24 feet East and 36 feet West of the Corner. We searched at least 50 feet in each direction for other stakes and found none that

might represent the Corner.

The measured dimension to the Southwest Corner and the Southeast Corner of Section 2 agree with the record within 0.1 feet 0.01 feet respectively.

### SURVEYOR'S RECOMMENDATIONS:

The selected location is accepted by the Contractor and is generally accepted by Professional Surveyors as the best available evidence of the position of the original Corner. Therefore, I recommend that the Peer Review Group accept this Corner as monumented, with the references as shown on the enclosed form prepared according to Act 74 of the Public Acts of 1970.

....

Grant J. Ward, R.L.S. License No. 22445