

SURVEY & REMONUMENTATION

JUL 23 1997

COMMISSION

LAND CORNER RECORDATION CERTIFICATE Filing Requirement of Act 74, Mich. P.A. 1970

For corners in
OGEMAW
(County)

Located In:

Corner Code =#

LIBER

2 PAGE 280

STATE OF MICHIGAN
OGEMAW COUNTY
RECORDED

3 JAN 95 9:45 A.M.

WANDA MUZIK
REGISTER OF DEEDS
Register of Deeds Stamp & File Number

| | | | |
|------------------------------------|-------------------------|-------|----------------|
| 1. Public Land Survey | T <u>24NR</u> <u>4E</u> | A-13 | |
| | T _____ R _____ | _____ | |
| | T _____ R _____ | _____ | |
| | T _____ R _____ | _____ | <i>Seg. #1</i> |
| 2. Property Controlling in Section | S _____ T _____ R _____ | _____ | |
| | S _____ T _____ R _____ | _____ | |
| 3. Miscellaneous Property in Sec. | S _____ T _____ R _____ | _____ | |
| | S _____ T _____ R _____ | _____ | |

4. Lot No. _____, Recorded Plat _____
5. Private Claims _____

| | A | B | C | D | E | F | G | H | I | J | K | L |
|----|----|----|----|----|----|----|---|---|---|---|---|---|
| 2 | 6 | 5 | 4 | 3 | 2 | 1 | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | 7 | 8 | 9 | 10 | 11 | 12 | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | 18 | 17 | 16 | 15 | 14 | 13 | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | 19 | 20 | 21 | 22 | 23 | 24 | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | 30 | 29 | 28 | 27 | 26 | 25 | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | 31 | 32 | 33 | 34 | 35 | 36 | | | | | | |
| 13 | | | | | | | | | | | | |


I, Timothy L. Lapham, in a field survey on December, 19 94, do hereby certify that under requirements of P.A. 74, Michigan P.A. of 1970, the corner points mentioned in lines 1 and 2 above were in conformance with regulations and rules therefore as required in the current manual of survey instructions of the United States Department of the Interior, Bureau of Land Management or by a decree of a Court of Law and/or that the corner points mentioned in lines 3, 4 and 5 above were in conformance with the rules of the Michigan Board of Land Surveyors or by a Decree of a Court of Law; established, re-established, monumented, re-monumented, recovered, found as expressed below:

NOTE: Not more than 4 corners, all in the same town and range, may be recorded on this certificate.

A. Description of original monument and accessories and/or subsequent restoration:
A-13: COMMON CORNER WITH M-1, T23N, R3E, SEE LCRC FOR THAT CORNER AND REMONUMENTATION DOSSIER FOR ADDITIONAL INFORMATION. CORNER APPROVED AT PEER REVIEW MEETING HELD ON DECEMBER 21, 1994

B. Description of corner evidence found and/or method applied in restoring or reestablishing corner:
A-13:

C. Description of monument for corner and accessories established to perpetuate locating the position of the corner:
A-13:



Signed by *Timothy L. Lapham*
Surveyor's Michigan License No. 27595

Date 12/29/94

LAND CORNER RECORDATION CERTIFICATE
Filing Requirement of Act 74, Mich. P.A. 1970

For corners in
OGEMAW
 (County)

Located In:

Corner Code #/

- | | | | | | |
|---------------------------------------|---|------------|---|-----------|----------------|
| 1. Public Land Survey | T | <u>24N</u> | R | <u>4E</u> | <u>A-13</u> ✓ |
| | T | _____ | R | _____ | _____ |
| | T | _____ | R | _____ | _____ |
| | T | _____ | R | _____ | <u>Seg. #2</u> |
| 2. Property Controlling in Section | S | _____ | T | _____ | _____ |
| | S | _____ | T | _____ | _____ |
| 3. Miscellaneous Property in Sec. | S | _____ | T | _____ | _____ |
| | S | _____ | T | _____ | _____ |

LIBER 3 PAGE 06

STATE OF MICHIGAN
 OGEMAW COUNTY
 RECORDED

20 APR 95 10:21 A.M.

WANDA MUZIK
 REGISTER OF DEEDS

Register of Deeds Stamp & File Number

4. Lot No. _____, Recorded Plat _____
 5. Private Claims _____

| | A | B | C | D | E | F | G | H | I | J | K | L | M |
|----|----|---|----|---|----|---|----|---|----|---|----|---|---|
| 2 | 6 | | 5 | | 4 | | 3 | | 2 | | 1 | | |
| 3 | | | | | | | | | | | | | |
| 4 | 7 | | 8 | | 9 | | 10 | | 11 | | 12 | | |
| 5 | | | | | | | | | | | | | |
| 6 | 18 | | 17 | | 16 | | 15 | | 14 | | 13 | | |
| 7 | | | | | | | | | | | | | |
| 8 | 19 | | 20 | | 21 | | 22 | | 23 | | 24 | | |
| 9 | | | | | | | | | | | | | |
| 10 | 30 | | 29 | | 28 | | 27 | | 26 | | 25 | | |
| 11 | | | | | | | | | | | | | |
| 12 | 31 | | 32 | | 33 | | 34 | | 35 | | 36 | | |
| 13 | | | | | | | | | | | | | |

I, Timothy L. Lapham, in a field survey on December, 19 94, do hereby certify that under requirements of P.A. 74, Michigan P.A. of 1970, the corner points mentioned in lines 1 and 2 above were in conformance with regulations and rules therefore as required in the current manual of survey instructions of the United States Department of the Interior, Bureau of Land Management or by a decree of a Court of Law and/or that the corner points mentioned in lines 3, 4 and 5 above were in conformance with the rules of the Michigan Board of Land Surveyors or by a Decree of a Court of Law; established, re-established, monumented, re-monumented, recovered, found as expressed below:

NOTE: Not more than 4 corners, all in the same town and range, may be recorded on this certificate.

A. Description of original monument and accessories and/or subsequent restoration:
 A-13: COMMON CORNER WITH M-1, T23N, R3E, SEE LCRC FOR THAT CORNER AND REMONUMENTATION DOSSIER FOR ADDITIONAL INFORMATION. CORNER APPROVED AT PEER REVIEW MEETING HELD ON DEC 21, 1994


B. Description of corner evidence found and/or method applied in restoring or reestablishing corner:
 A-13: COMMON CORNER WITH M-1, T23N, R3E, SEE LCRC FOR THAT CORNER AND REMONUMENTATION DOSSIER FOR ADDITIONAL INFORMATION.

APPROVED BY
 PEER REVIEW
12-21-94 TL
 DATE P.A. 345 of 1990

C. Description of monument for corner and accessories established to perpetuate locating the position of the corner:
 A-13: COMMON CORNER WITH M-1, T23N, R3E, SEE LCRC FOR THAT CORNER AND REMONUMENTATION DOSSIER FOR ADDITIONAL INFORMATION.

Signed by [Signature]
 Surveyor's Michigan License No. 27595

Date 4-20-95



SURVEY & REMONUMENTATION

MAY 03 1995

LAND CORNER RECORDATION CERTIFICATE
Filing Requirement of Act 74, Mich. P.A. 1970

For corners in
OGEMAW

COMMISSION

Located In:

Corner Code #

LIBER

2 PAGE 261

STATE OF MICHIGAN
OGEMAW COUNTY
RECORDED

3 JAN 95 9:35 A.M.

WANDA MUZIK
REGISTER OF DEEDS
Register of Deeds Stamp & File Number

- | | | | | | |
|------------------------------------|---|------------|---|-----------|----------------|
| 1. Public Land Survey | T | <u>23N</u> | R | <u>3E</u> | <u>M-1</u> |
| | T | _____ | R | _____ | _____ |
| | T | _____ | R | _____ | _____ |
| | T | _____ | R | _____ | <u>Seg. #1</u> |
| 2. Property Controlling in Section | S | _____ | T | _____ | R |
| | S | _____ | T | _____ | R |
| 3. Miscellaneous Property in Sec. | S | _____ | T | _____ | R |
| | S | _____ | T | _____ | R |
4. Lot No. _____, Recorded Plat _____
5. Private Claims _____

| | A | B | C | D | E | F | G | H | I | J | K | L |
|----|----|----|----|----|----|---|---|---|---|---|---|---|
| 2 | 6 | 5 | 4 | 3 | 2 | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | 7 | 8 | 9 | 10 | 11 | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | 18 | 17 | 16 | 15 | 14 | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | 19 | 20 | 21 | 22 | 23 | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | 30 | 29 | 28 | 27 | 26 | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | 31 | 32 | 33 | 34 | 35 | | | | | | | |
| 13 | | | | | | | | | | | | |

I, Timothy L. Lapham, in a field survey on December, 19 94, do hereby certify that under requirements of P.A. 74, Michigan P.A. of 1970, the corner points mentioned in lines 1 and 2 above were in conformance with regulations and rules therefore as required in the current manual of survey instructions of the United States Department of the Interior, Bureau of Land Management or by a decree of a Court of Law and/or that the corner points mentioned in lines 3, 4 and 5 above were in conformance with the rules of the Michigan Board of Land Surveyors or by a Decree of a Court of Law; established, re-established, monumented, re-monumented, recovered, found as expressed below:

NOTE: Not more than 4 corners, all in the same town and range, may be recorded on this certificate.

A. Description of original monument and accessories and/or subsequent restoration:
M-1: CLASON 1938, SET POST, B. OAK 18" N66E 34L., S. MAPLE 14" S42W 39L., CALDWELL 4/8/1974, SURVEY 1-428, NO CORNER MATERIAL OR WITNESSES
CALDWELL 6/26/1974, SURVEY 1-440, NO CORNER MATERIAL OR WITNESSES
CALDWELL 9/8/1975, SURVEY 2-31, NO CORNER MATERIAL OR WITNESSES
CALDWELL 10/21/1976, SURVEY 2-197, NO CORNER MATERIAL OR WITNESSES
HIGGINS 8/02/1982, SURVEY 3-380*2, NO CORNER MATERIAL FOUND BAR AT 33' NORTH SET BAR AT 50' NORTH

B. Description of corner evidence found and/or method applied in restoring or reestablishing corner:
M-1: FOUND CAPPED IRON # NOT LEGIBLE, IN CENTERLINE OF ROAD E-W, DISTANCE EAST MATCHES PREVIOUS, DISTANCE WEST 1.6' SHORT OF PREVIOUS, CAPPED IRON NORTH BENT TO NORTH APPARENT DURING ROAD RECONSTRUCTION MEASURES 51.32' TO TOP OF IRON AS IS, ENTIRE R/W IRON APPEARS TO BE LEANING, ACCEPTED FOUND IRON AS BEST AVAILABLE EVIDENCE OF ORIGINAL CORNER POSITION, CORNER APPROVED AT PEER REVIEW MEETING HELD ON DECEMBER 21, 1994. SEE DOSSIER FOR ADDITIONAL INFORMATION.

APPROVED BY
PEER REVIEW
12-21-94
DATE P.A. 345 of 1990

C. Description of monument for corner and accessories established to perpetuate locating the position of the corner:
M-1: SET 5/8"x36" ROD WITH 3-1/4" ALUMINUM REMON CAP IN MON BOX
S02W 42.39 SET SPIKE IN POWER POLE
S32W 54.75 SET SPIKE IN 6" BALSAM FIR
N56W 76.39 SET SPIKE IN 10" OAK
N34E 48.85 SET SPIKE IN 8" OAK



Signed by [Signature]
Surveyor's Michigan License No. 27595

Date 12/29/94