

LAND CORNER RECORDATION CERTIFICATE
Filing Requirement of Act 74, Mich. P.A. 1970

For corners in

Roscommon <small>(County)</small>	Located In:	Corner Code #/
1. Public Land Survey	T 24N R 2W T 24N R 2W T _____ R _____ T _____ R _____	G-12 ✓ H-13 ✓ _____ _____
2. Property Controlling in Section	S 34 T 24N R 2W S 34 T 24N R 2W	15 ✓ 4 ✓
3. Miscellaneous Property in Sec.	S _____ T _____ R _____ S _____ T _____ R _____	_____ _____

Register of Deeds Stamp & File Number

4. Lot No. _____, Recorded Plat _____
 5. Private Claims _____

I, Carl R. Johnson, in a field survey on Feb. 6 and 19, 19 86, do hereby certify that under requirements of P.A. 74, Michigan P.A. of 1970, the corner points mentioned in lines 1 and 2 above were in conformance with regulations and rules therefore as required in the current manual of survey instructions of the United States Department of the Interior, Bureau of Land Management or by a decree of a Court of Law and/or that the corner points mentioned in lines 3, 4 and 5 above were in conformance with the rules of the Michigan Board of Land Surveyors or by a Decree of a Court of Law; established, re-established, monumented, re-monumented, recovered, found as expressed below.

NOTE: Not more than 4 corners, all in the same town and range, may be recorded on this certificate.

	A	B	C	D	E	F	G	H	I	J	K	L	M
2	6	5	4	3	2	1							
3													
4	7	8	9	10	11	12							
5													
6	18	17	16	15	14	13							
7													
8	19	20	21	22	23	24							
9													
10	30	29	28	27	26	25							
11													
12	31	32	33	34	35	36							
13													

A. Description of original monument and accessories and/or subsequent restoration:

B. Description of corner evidence found and/or method applied in restoring or reestablishing corner:

G-12 - Set corner midway and on line between section corners. No evidence of original or subsequent survey.

15 - Set corner by standard survey procedure for subdivision of sections.

H-13 - Found 1 1/4" pipe in concrete for corner presumed to have been set by Delamater in a survey of 1929. Also used by G. D. Henning in a previous survey.

4 - Set by standard survey procedure for subdivision of a section.

C. Description of monument for corner and accessories established to perpetuate locating the position of the corner:

G-12
 Set D.N.R. Mon. and cedar post
 12" Red Oak S58°W 42.7'
 7" Maple N17°E 33.0'

H-13
 Found 1 1/4" pipe in concrete set cedar post
 12" Red Oak N28°E 40.2'
 16" Red Oak N61°W 26.6'
 13" Red Oak S43°W 17.1'

15
 Set 5/8" bar w/cap and cedar post
 7" Beech N15°E 18.6'
 7" Red Oak N77°W 29.1'

4
 Set 5/8" bar w/cap and cedar post
 6" Maple S30°E 2.9'
 5" Maple S85°W 19.6'

Signed by Carl R. Johnson
 Surveyor's Michigan License No. 30083

Date 6/16/86

