SURVEY & REMONUMENTATION

LIBER 1882 PAGE 1679

NOV 1 2 1993

Liber 6 page 133

| 00 | M | M | SSI | ON |
|----|------|-----------------------------------------|-----------------|----------|
| | DW I | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | والصباط الرسواة | V_// 9 % |

4. Lot No.

Private Claims _

LAND CORNER RECORDATION CERTIFICATE

| COMMISSION For corners in | | ON Filing Requ | Filing Requirement of Act 74, Mich. P.A. 1970 | | | 73 FT |
|---------------------------|-----------------------------------|--------------------------|-----------------------------------------------|------------------------------------------|------------|----------------|
| | aginaw (County) | _ Located In: | Corner Code ## | | ىپ | C O2 |
| 1. | Public Land Survey | T R T R T R T R | A-9 | ECH. BODAK EP OF DEEDS FOGHTY HIGH | 12 32 PM ' | CORNED & FILED |
| 2. | Property Controlling in Section | S T R S T R | | SH. S. | ස | |
| 3. | Miscellaneous Property in Sec. | S T R S T R | | Register of Deeds Stam | p & File h | lumber |

October John H. Rauser in a field survey on do hereby certify that under requirements of P.A. 74, Michigan P.A. of 1970, the corner points mentioned in lines 1 and 2 above were in conformance with regulations and rules therefore as required in the current manual of survey instructions of the United States Department of the Interior, Bureau of Land Management or by a decree of a Court of Law and/or that the corner points mentioned in lines 3, 4 and 5 above were in conformance with the rules of the Michigan Board of Land Surveyors or by a Decree of a Court of Law; established, re-established, monumented, re-monumented, recovered, found as

NOTE: Not more than 4 corners, all in the same town and range, may be recorded on this certificate.

- A-9 Closing cor., Sec. 19 & 20, T12N-R4E

Description of corner evidence found and/or method applied in restoring or reestablishing corner:

A-9 Closing cor. , Sec. 19 & 20, T12N-R4E

Fnd. no evidence of original government corner. Fnd. no evidence of original government corner. Fnd. 3/4" pipe in monument box. This corner has been improperly utilized through the years as a common corner with (A-9) Closing cor., Sec. 19 & 30, T12N-R4E. As shown in recorded survey & LCRC in 1982 by Beryl M. Jones recorded in L. 1610, pg. 2142 & L. 1720, pg. 888 in which the corner was recorded as A-9. In recorded LCRC's 1979 by Donald Hammond, L. 4, pg. 223 & 1982 by Duane F. Ledy, L. 6, pg. 43 the corner was recorded as M-9 showing the same witnesses as Beryl Jones. On a survey by CP Co. drawing #S-f16228, the corner is shown as a common corner. Therefore the closing corner (A-9) was established at a position by GLO call of 3 lks. South of M-9, T12N-R3E, holding the corner found as M-9, and set on of M-9, T12N-R3E, holding the corner found as M-9, and set on line between M-9 & M-10 of T12N-R3E and is accepted as the best available evidence of the position of the original cor.

Approved by Saginaw County Peer Review September 30 , 1993

C. Description of monument for corner and accessories established to perpetuate locating the position of the corner:

A-9 Closing cor., Sec. 19 & 20, T12N-R4E

Set 5/8" rerod w/brass cap stamped Saginaw County Monument P.S. #39096 in drill hole of old conc. surface under sphalt overlay and placed monument box at corner.

North 1.98' (3 lks.) Standard corner, Sec. 24 & 25, T12N-R3E

S52°E 35.63' Set chis "+" in W. rim manhole

N85°E 38.14' Fnd. Nail & Tag in N face Tri-Walnut

N80°W 30.29' Set PK w/tag #12018 in N face Power Pole

\$88°E 55.951 N30°W 71.651 Set PK w/tag #12018 in S face Power Pole Set chis. "+" in SE cor., of metal rim of

ony

H₂O manhole pit

OF MICHIGAN JOHN H. RAUSER PROFESSIONAL SURVEYOR Nö. 39098 OF SPESSION

FORM APPROVED BY MICHIGAN STATE BOARD OF LAND SURVEYORS, JAN. 26, 1971 REVISED MAY 14, 1975

REVISED JAN., 1983

Surveyor's Michigan License No. _

Signed by _

6

10

11 12

1.3

expressed below:

A. Description of original monument and accessories and/or subsequent restoration:

Wood post placed by J. Wampler, 1822

__ , Recorded Plat .

3 lks. (1.98') South of Standard cor. Sec. 24 & 25, T12N-R3E N80 E 5 lks. (3.30') 13" Beech S30 E 22 lks. (14.52') 20" Pine

No record of subsequent restoration