LAND CORNER RECORDATION CERTIFICATE

_	Filing Requirem	nent of Act 74, Mich. P.A. 1970	as Amended	
For corners in		• •	I	
Schoolcraft (County)	Located In:	Corner Code #		
1. Public Land Survey	T <u>43N</u> R <u>16M</u> TR TR			
 Property Controlling in Section Miscellaneous Property in Sec. 	S T R		Registe Number	r of Deeds Stamp & File
4. Lot No, Reco	orded Plat		A B C D I	FGHIJKLM
5. Private Claims			2 - 6 - 5 -	-
	Jan	10 2006	3 1	
that under requirements of P.A. above were in conformance wit survey instructions of the United decree of a Court of Law and /	74, Michigan P.A. of 1970, the regulations and rules therefd States Department of the Interest or that the corner points menthe Michigan Board of Land Sur	, 20 do hereby st e corner points mentioned in lines 1 an ore as required in the current manual erior, Bureau of Land Management or b ationed in lines 3, 4 and 5 above were eveyors or by a Decree of a Court of La expressed below:	d 2 l of 6 18 17 20 20 20 20 20 20 20 20 20 20 20 20 20	-16 - 15 - 14 - 13 - 13 - 14 - 14
NOTE: Not more than 2 c	orners all in the same toy	vn and range, may be recorded	10 30 29	28 27 26 25
on this certificate.		vir and range, may be recorded	11	
		and/or subsequent restoration:	12 31 32	33 34 35 36
18) The original post and accepted and accepted and accepted accepted and accepted and accepted and accepted accepted and accepted accepted accepted and accepted acc	ccessories were not recover nd I9 2651.47° north and so not accept as marking the p corner at the intersection	od applied in restoring or reestables of the second of straight lines connecting opposition.	on described by Mr. Sl cablished, I found a p	pipe, not of record, NO1W
(I8) Set 1"IDx36" I.pipe witl MDNR cap. Set measuring nail 6" Balsam S15E 4.15' mrkd 6" Maple N52E 18.93' 10" Maple S45W 3.55' 9" Hemlock N20W 33.3'	h 4" alum. (4) Set ls in: stamped "1/4S NBT" ground s do 14" Hem do 15" Map do 11" Hem ances are to 7" W.Bi Fd. iron Bearings	s established to perpetuate locating 1"IDx36" I.pipe w/plastic cap "MI DNR PS33986" flush with the surface. Set measuring nails in: lock S74M 17.35' le NO2E 38.8' lock S54E 30.4' rch S20M 49.45' in under blacktop N1E 5.5' is are magnetic. Distances to re to nail with tag.	TE OF	AN J. KOSKI ND EYOR
Signed by Style 1	Indlest.		Date	16/06
Surveyor's Michigan License	No. 3	3986	1,20	, ı ————
		ment of Natural Resources, Office		S OF PROFESSIONAL SURVEYORS, JAN. 28, 19 Revised May 14, 19 Revised Jan., 19! Rervised Oct., 19!