LAND CORNER RECORDATION CERTIFICATE Filing Requirement of Act 74, Mich. P.A. 1970

For corners in MEXFORD			1			
(County)	Located In:	Corner Code ##				
. Public Land Survey	T 24N R 10N	F-9		•		
	Ţ R					
	T R T R					
Property Controlling	S <u>21</u> T R	6.9.16		•		
in Section	S T R		-	•		
. Miscellaneous Property in Sec.	S T R S T R		Register	r of Deeds Stamp	& File Nun	ıber
					<u>-</u>	
	ecorded Plat			BCDEF	GHIJ	K L
			2	_ {	╂╌┇╌┼╌┆	
			3	+++-	 	
C.F.ROSER	in a field survey onAP	PRIL,20 19	<u>89</u> 5	- 7 - 8 - 4 - 9 -	10-11	1
lo hereby certify that under requ	uirements of P.A. 74, Michigan P.A.	of 1970, the corner points m	entioned 6	18 17 16	15 14	
	conformance with regulations ar ctions of the United States Depar					\dashv
	Court of Law and/or that the corner the rules of the Michigan Board of			_192021 •	22 23	╌┼╌╡
ourt of Law; established, re	e-established, monumented, re-		lound as	- - - - - -	 	+
xpressed below:	orners, all in the same town a	nd range man be seen	10 L	-30	27 26	- -
on this certificate.	rners, all in the same town al	ing range, may be record	12	31 32 33	34 35	
			13		تلتل	
 Description of original m 	nonument and accessories and	id/or subsequent restora 9	tion:	16		
F-9 SI/4 COR SEC 21 MAS ESTABLISHED BY PROPORTIONA MEASURMENT BETWEEN FOUND S CORNERS 1/2 MILE E & M IN DEPT SURVEY BY K.OSTLING.	SEC INSTRUCTIONS.	9 NE1/4 OF ESTABLISHED S	N COR OF SE1/4 OF 21 PER STANDARD	- 16	RD B.L.M. IN 1962 DEPT.	IST.
F-9 S1/4 COR SEC 21 WAS ESTABLISHED BY PROPORTIONA MEASURMENT BETWEEN FOUND S CORNERS 1/2 HILE E & N IN DEPT SURVEY BY K.OSTLING.	ESTABLISHED CENTER OF BEC 21 PER STANDARD B. BEC INSTRUCTIONS. 1962	P NE1/4 OF ESTABLISHED S L.M. NE1/4 OF BEC B.L.M. INSTRU	N COR OF SE1/4 OF 21 PER STANDARD CCTIONS.	16 E1/8 COR ON S. SET PER STANDAR BY K.OSTLING IN SURVEY. CTR OF 185'± NEST.	RD B.L.M. IN N 1962 DEPT. N-S TRAIL R	IST.
F-9 SI/4 COR SEC 21 WAS ESTABLISHED BY PROPORTIONA MEASURMENT BETWEEN FOUND S CORNERS 1/2 MILE E & N IN DEPT SURVEY BY K.OSTLING. Description of monumen F-9	ESTABLISHED CENTER OF RTE SEC 21 PER STANDARD B. SEC INSTRUCTIONS. 1962	P NE1/4 OF ESTABLISHED S L.M. NE1/4 OF BEC B.L.M. INSTRU	COR OF SE1/4 OF 21 PER STANDARD CTIONS.	16 E1/8 COR ON S. SET PER STANDAR BY K.OSTLING IN SURVEY. CTR OF 185'± NEST.	RD B.L.M. IN N 1962 DEPT. N-S TRAIL R	ST.
F-9 SI/4 COR SEC 21 WAS ESTABLISHED BY PROPORTIONA MEASURMENT BETWEEN FOUND S CORNERS 1/2 MILE E & N IN DEPT SURVEY BY K.OSTLING. Description of monumen	ESTABLISHED CENTER OF RTE SEC 21 PER STANDARD B. SEC INSTRUCTIONS. 1962	PARTICLE OF ESTABLISHED S L.N. NE1/4 OF SEC B.L.M. INSTRU established to perpetuat SET DROVE 3/8° X	N COR OF SE1/4 OF 21 PER STANDARD CCTIONS.	16 E1/8 COR ON S. SET PER STANDAR BY K.OSTLING IN SURVEY. CTR OF 185'± NEST.	RD B.L.M. IN N 1962 DEPT. N-S TRAIL R	ST.
F-9 S1/4 COR SEC 21 WAS ESTABLISHED BY PROPORTIONA MEASURMENT BETWEEN FOUND S CORNERS 1/2 MILE E & N IN DEPT SURVEY BY K.OSTLING. Description of monument F-9 FD DEPT BRASS CAPPED MON & CEDAR POST. +10° CEDAR SO9°N	ESTABLISHED CENTER OF RTE SEC 21 PER STANDARD B. REC INSTRUCTIONS. 1962 At for corner and accessories of the sec prove 1/2" x 55" PIPE CEDAR POST W/LOC TAG. 3.6' 10" B.ASK NB6"M	PARTICLE OF ESTABLISHED S L.M. NE1/4 OF SEC B.L.M. INSTRU established to perpetuat SET DROVE 3/8° X SET CEDAR 5.4° 7° CEDAR	e locating the pos 80" PIPE W/LS CAP POST W/LBC TAG. NOS" M B.8"	16 E1/B COR ON S. SET PER STANDAR BY K.OSTLING IN SURVEY. CTR OF 185'± NEST. Sition of the corne 16 FD 1" PIPE & SE N/LOC TAB. #24"N.PINE STP	RD B.L.M. IN N 1962 DEPT. N-S TRAIL R T CEDAR POS S56°N S	ST. SD IS
F-9 SI/4 COR SEC 21 WAS ESTABLISHED BY PROPORTIONA MEASURMENT BETWEEN FOUND S CORNERS 1/2 MILE E & N IN DEPT SURVEY BY K.OSTLING. Description of monumen F-9 FD DEPT BRASS CAPPED MON & CEDAR POST. #10° CEDAR SO9° N #6° CEDAR NS8°E 1	ESTABLISHED CENTER OF SEC 21 PER STANDARD B. SEC INSTRUCTIONS. 1962 A SET DROVE 1/2" X 55" PIPE CEDAR POST W/LOC TAG. 3.6' 10" B.ASH NB6"M 17.6' 3" IRONNOOD N34°E	established to perpetuat SET DROVE 3/8" X SET CEDAR 21.6' 12"TN. MAPLE	e locating the pos 80° PIPE W/LS CAP POST W/LDC TAG. NOE'N B.8' N66°E 12.9'	16 E1/8 COR ON S. SET PER STANDAR BY K.OSTLING IN SURVEY. CTR OF 185'± NEST. Sition of the corner 16 FD 1" PIPE & SE N/LOC TAB. #24"N.PINE STP #24"N.PINE STP	RD B.L.M. IN N 1962 DEPT. N-S TRAIL R TCEDAR POS S56°W S N54°E 1	ST. SD IS S9.6' O.5'
F-9 SI/4 COR SEC 21 MAS ESTABLISHED BY PROPORTIONA MEASURMENT BETWEEN FOUND S CORNERS 1/2 MILE E & N IN DEPT SURVEY BY K.OSTLING. Description of monument F-9 FD DEPT BRASS CAPPED MON & CEDAR POST. #10" CEDAR SO9"N #6" CEDAR N58"E 1 6" CEDAR 878"E	ESTABLISHED CENTER OF RTE SEC 21 PER STANDARD B. REC INSTRUCTIONS. 1962 At for corner and accessories of the sec prove 1/2" x 55" PIPE CEDAR POST W/LOC TAG. 3.6' 10" B.ASK NB6"M	PARTICLE OF ESTABLISHED S L.M. NE1/4 OF SEC B.L.M. INSTRU established to perpetuat SET DROVE 3/8° X SET CEDAR 5.4° 7° CEDAR	e locating the pos 80" PIPE W/LS CAP POST W/LBC TAG. NOS" M B.8"	16 E1/B COR ON S. SET PER STANDAR BY K.OSTLING IN SURVEY. CTR OF 185'± NEST. Sition of the corne 16 FD 1" PIPE & SE N/LOC TAB. #24"N.PINE STP	RD B.L.M. IN N 1962 DEPT. N-S TRAIL R TCEDAR PDE S56°W C N54°E 1	ST. SD IS
F-9 SI/4 COR SEC 21 MAS ESTABLISHED BY PROPORTIONA MEASURMENT BETWEEN FOUND S CORNERS 1/2 MILE E & N IN DEPT SURVEY BY K.OSTLING. Description of monument F-9 FD DEPT BRASS CAPPED MON & CEDAR POST. #10" CEDAR SO9" N #6" CEDAR M58"E 1 6" CEDAR S78"E	ESTABLISHED CENTER OF RTE SEC 21 PER STANDARD B. REC INSTRUCTIONS. 1962 DESTABLISHED CENTER OF SEC 21 PER STANDARD B. REC INSTRUCTIONS. 1962 DESTABLISHED CENTER OF SEC 21 PER STANDARD B. REC 10 B. ASH NB6° M 17.6′ 3° IRONNOOD N34°E 2.7′ 9° TAMARACK S38°E	established to perpetuat B.L.M. NE1/4 OF SEC B.L.M. INSTRU established to perpetuat SET DROVE 3/8° X SET CEDAR 5.4' 7° CEDAR 21.6' 12°TN.NAPLE 9.7' 8°R.MAPLE	e locating the pos 80" PIPE W/LS CAP POST W/LDC TAG. NOB" M B.8' N66°E 12.9' S34°E 12.6'	16 E1/8 COR ON S. SET PER STANDAR BY K.OSTLING IN SURVEY. CTR OF 185'± NEST. Sition of the corner 16 FD 1" PIPE & SE N/LOC TAG. #24"N.PINE STP 4" N.PINE	RD B.L.M. IN N 1962 DEPT. N-S TRAIL R TCEDAR PDE S56°W C N54°E 1	ST. SD IS S9.6' 0.5' 9.1'
F-9 S1/4 COR SEC 21 WAS ESTABLISHED BY PROPORTIONA MEASURMENT BETWEEN FOUND S CORNERS 1/2 HILE E & N IN DEPT SURVEY BY K.OSTLING. Description of monument F-9 FD DEPT BRASS CAPPED MON & CEDAR POST. #10" CEDAR SO9" N #6" CEDAR N58"E 1 6" CEDAR S78"E	ESTABLISHED CENTER OF RTE SEC 21 PER STANDARD B. REC INSTRUCTIONS. 1962 DESTABLISHED CENTER OF SEC 21 PER STANDARD B. REC INSTRUCTIONS. 1962 DESTABLISHED CENTER OF SEC 21 PER STANDARD B. REC 10 B. ASH NB6° M 17.6′ 3° IRONNOOD N34°E 2.7′ 9° TAMARACK S38°E	established to perpetuat a SET DROVE 3/8" X a SET CEDAR 5.4' 7" CEDAR 21.6' 12"TN. MAPLE 9.7' B"R. MAPLE 6.3' B"TN. CEDAR	e locating the pos 80" PIPE W/LS CAP POST W/LDC TAG. NOB" M B.8' N66°E 12.9' S34°E 12.6'	16 E1/8 COR ON S. SET PER STANDAR BY K.OSTLING IN SURVEY. CTR OF 185'± NEST. Sition of the corner 16 FD 1" PIPE & SE N/LOC TAG. #24"N.PINE STP 4" N.PINE	RD B.L.M. IN N 1962 DEPT. N-S TRAIL R TCEDAR PDE S56°W C N54°E 1	ST. SD IS S9.6' 0.5' 9.1'
F-9 S1/4 COR SEC 21 WAS ESTABLISHED BY PROPORTIONA MEASURMENT BETWEEN FOUND S CORNERS 1/2 HILE E & N IN DEPT SURVEY BY K.OSTLING. DESCRIPTION OF MONUMENT F-9 FD DEPT BRASS CAPPED MON & CEDAR POST. #10" CEDAR SO9"N #6" CEDAR N38"E 1 6" CEDAR N38"E 1 6" CEDAR N30"N 1	ESTABLISHED CENTER OF SEC 21 PER STANDARD B. SEC INSTRUCTIONS. 1962 SET DROVE 1/2" X 55" PIPE CEDAR POST W/LOC TAG. 3.6' 10" B.ASH NB6"M 17.6' 3" IRONNOOD N34"E 2.7' 9" TAMARACK S38"E 12.8' 9" TAMARACK S40"N	established to perpetuat B.L.M. NE1/4 OF BEC B.L.M. INSTRU BSET DROVE 3/8" X SET CEDAR 5.4" 7" CEDAR 21.6" 12"TN. HAPLE 9.7" B"R. HAPLE 6.3" B"TN. CEDAR	e locating the pos 80" PIPE W/LS CAP POST W/LDC TAG. NOB" M B.8' N66°E 12.9' S34°E 12.6'	16 E1/8 COR ON S. SET PER STANDAR BY K.OSTLING IN SURVEY. CTR OF 185'± NEST. Sition of the corner 16 FD 1" PIPE & SE N/LOC TAG. #24"N.PINE STP 4" N.PINE	T CEDAR POS S56°W S N54°E S N52°N 6	ST. SD IS S9.6' 0.5' 9.1'
F-9 S1/4 COR SEC 21 WAS ESTABLISHED BY PROPORTIONA MEASURMENT BETWEEN FOUND S CORNERS 1/2 HILE E & N IN DEPT SURVEY BY K.OSTLING. Description of monument F-9 FD DEPT BRASS CAPPED MON & CEDAR POST. *10° CEDAR SO9° N *6° CEDAR N38°E 1 6° CEDAR 878°E 7° CEDAR N30°N 1 * = 1962 KJO DEPT. WITS.	ESTABLISHED CENTER OF SEC 21 PER STANDARD B. SEC INSTRUCTIONS. 1962 SET DROVE 1/2" X 55" PIPE CEDAR POST W/LOC TAG. 3.6' 10" B.ASH NB6"M 17.6' 3" IRONNOOD N34"E 2.7' 9" TAMARACK S38"E 12.8' 9" TAMARACK S40"N	established to perpetuat B.L.M. NE1/4 OF BEC B.L.M. INSTRU BSET DROVE 3/8" X SET CEDAR 5.4" 7" CEDAR 21.6" 12"TN. HAPLE 9.7" B"R. HAPLE 6.3" B"TN. CEDAR	e locating the pos 80° PIPE W/LS CAP POST W/LDC TAG. NOS° N B.8' N66°E 12.9' S34°E 12.6' S30°N 12.9' CARL ROSER	E1/B COR ON S. SET PER STANDAR BY K.OSTLING IN SURVEY. CTR OF 185'± NEST. STANDAR BY K.OSTLING IN SURVEY. CTR OF 185'± NEST. STANDAR FD 1" PIPE & SE N/LOC TAG. #24"N.PINE STP #24"N.PINE 2" N.PINE	T CEDAR POS S56°W S N54°E S N52°N 6	ST. SD IS S9.6' 0.5' 9.1'
F-9 S1/4 COR SEC 21 WAS ESTABLISHED BY PROPORTIONA MEASURMENT BETWEEN FOUND S CORNERS 1/2 HILE E & N IN DEPT SURVEY BY K.OSTLING. DESCRIPTION OF MONUMENT F-9 FD DEPT BRASS CAPPED MON & CEDAR POST. #10" CEDAR SO9"N #6" CEDAR N38"E 1 6" CEDAR N38"E 1 6" CEDAR N30"N 1	ESTABLISHED CENTER OF SEC 21 PER STANDARD B. SEC INSTRUCTIONS. 1962 A SET DROVE 1/2" X 55" PIPE CEDAR POST W/LOC TAG. 3.6' 10" B.ASH NB6"N 17.6' 3" IRONNOOD N34"E 2.7' 9" TAMARACK S38"E 12.8' 9" TAMARACK S40"N PARKEL O2-	established to perpetuat B.L.M. NE1/4 OF BEC B.L.M. INSTRU BSET DROVE 3/8" X SET CEDAR 5.4" 7" CEDAR 21.6" 12"TN. HAPLE 9.7" B"R. HAPLE 6.3" B"TN. CEDAR	e locating the pose some price w/LS CAP POST W/LBC TAG. NOS N B.8' N66°E 12.9' S34°E 12.6' S30°N 12.9'	E1/B COR ON S. SET PER STANDAR BY K.OSTLING IN SURVEY. CTR OF 185'± NEST. STANDAR BY K.OSTLING IN SURVEY. CTR OF 185'± NEST. STANDAR FD 1" PIPE & SE N/LOC TAG. #24"N.PINE STP #24"N.PINE 2" N.PINE	T CEDAR POS S56°W S N54°E S N52°N 6	ST. SD IS S9.6' 0.5' 9.1'
F-9 SI/4 COR SEC 21 WAS ESTABLISHED BY PROPORTIONA MEASURMENT BETWEEN FOUND S CORNERS 1/2 MILE E & N IN DEPT SURVEY BY K.OSTLING. DEPT BRASS CAPPED MON & CEDAR POST. #10" CEDAR N58"E 1 6" CEDAR N58"E 1 6" CEDAR N58"E 1 4" CEDAR N50"N 1	ESTABLISHED CENTER OF SEC 21 PER STANDARD B. SEC INSTRUCTIONS. 1962 A SET DROVE 1/2" X 55" PIPE CEDAR POST W/LOC TAG. 3.6' 10" B.ASH NB6"N 17.6' 3" IRONNOOD N34"E 2.7' 9" TAMARACK S38"E 12.8' 9" TAMARACK S40"H Page 12028	established to perpetuat B.L.M. NE1/4 OF BEC B.L.M. INSTRU BSET DROVE 3/8" X SET CEDAR 5.4" 7" CEDAR 21.6" 12"TN. HAPLE 9.7" B"R. HAPLE 6.3" B"TN. CEDAR	e locating the post of the pos	E1/B COR ON S. SET PER STANDAR BY K.OSTLING IN SURVEY. CTR OF 185'± NEST. STANDAR BY K.OSTLING IN SURVEY. CTR OF 185'± NEST. STANDAR FD 1" PIPE & SE N/LOC TAG. #24"N.PINE STP #24"N.PINE 2" N.PINE	RD B.L.M. IN N 1962 DEPT. N-S TRAIL R S56°W S N54°E 1 S10°E 1 N52°N 6	ST. SP. 6' 0.5' 9.1' 4.7'