LAND CORNER RECORDATION CERTIFICATE Filing Requirement of Act 74, Mich. PA 1970


| 4. Lot No: | 3. Miscellaneous Property in Section | | Property Controlling in Section | 1. Public Land Survey | For Corners In: Wexford (County) |
|----------------|--------------------------------------|------------------|---|-----------------------|--|
| Recorded Plat: | S T T | S 32 T 24N R 11W | S 31- T 24N R 11W | 7 7 | Located in |
| | | CN SW 1/64 | NS 1/64 | | Corner Code # |

Private Claims:

I, <u>Craig W. McVean</u>, in a field survey on <u>July 30</u>, 2003 do hereby state that under requirements of PA 74, Michigan PA of 1970, the corner points mentioned in lines 1 and 2 above were in conformance with regulations and rules therefore as required in the current manual of survey instructions of the United States Department of the Interior, Bureau of Land Management or by a decree of a Court of Law and/or that the corner points mentioned in lines 3, 4 and 5 above were in conformance with the rules of the Michigan Board of Land Surveyors or by a Decree of a Court of Law, established, re-established, monumented, recovered, found as expressed below:

NOTE: Not more than 2 corners, all in the same town and range, may be recorded on this certificate.

Register of Deeds Stamp & File Number



1989 – Description of original monument and accessories and/or subsequent restoration:
S 1/64 - Rec. Sur. - L. 69, p. 302 - D. E. Schripsema - CNSW 1/64 - Rec. Sur. - L. 69, p. 302 - D. E. Schripsema Set iron 1989 – Set iron

B. Description of corner evidence found and/or method applied in restoring or re-establishing corner: NS 1/64 Cor. Common to Sec. 31 & 32 – CNSW 1/64, Cor. Sec. 32 – being the SW Cor. of N ½ of NW ¼ of SW ¼, Sec. 32 – Set Set 2" Alum. Cap on 5/8" x 34" iron rebar per standard BLM procedure. Fd. ½" capped iron #14108 – S20° 32' W 1.17' but didn't feel ½" CIR was within acceptable accuracy accuracy to accept as corner.

to accept as comer.

CNSW 1/64, Cor. Sec. 32 -- being the SE Cor. of the N ½ of NW ¼ of SW ¼ Sec. 32 - Set 2" Alum. Cap on 5/8" x 34" iror rebar per standard BLM procedure. Fd. ½" iron S 5°E 1.41' Rec. Sur. but didn't feel ½" iron was within acceptable 1.41' per 흥

C. Description of monument for corner and accessories established to perpetuate locating the position of the corner:

NS 1/64 – 2" stamped Alum. Cap on 5/8" x 34" rebar

N38°W 13.41' to set N & T in NE side Tw. 4" ironwood

S38°E 11.18' to set N & T in W side 4" ironwood

S24°W 9.05' to set N & T in W side 4" ironwood

S24°E 10.75' to set N & T in W side 7" cedar

S20°32'W 1.17' to ½" CIR #14108

Set Blue carsonite post 1' NE.

S5°E 1.41' to fd. ½" iron

FORM APPROVED BY MICHIGAN STATE BOARD OF PROFESSIONAL SURVEYORS JAN. 28, 1971 Revised May 14, 1975 Revised Jan. 1983 Revised Oct. 1995 Date: TICENSE ** POFESSIONA ROFESSIONAL SURVEYOR McVEAN Ç **39088** ö MICHIC PEYOR **学** *

Surveyor's Michigan License No.:

39088

Signed by:

Recc