LAND CORNER RECORDATION CERTIFICATE

Filing Requirement of Act 74, Mich. P.A. 1970 SURVEY & REMONUMENTATION NOV 02 1999 r corners in Corner Code # Washtenaw Located In: SECTION T2S R 5E Public Land Survey T____R_ _ R. 02/25/1999 02:59P Property Controlling Register of Deed Stamp & File Number __ R. in Section _ R. Miscellaneous __ R-Property in Section ____, Recorded Plat _ 2 Private Claims 3 12 13 Thomas L. Sutherland, in a field survey on November 4, 1998 do hereby ate that under requirements of P.A. 74, Michigan P.A. of 1970, the corner ⊃ints mentioned in lines 1 and 2 above were in conformance with regulations 22 23 20 21 19 nd rules therefore as required in the current manual of survey instructions of e United States Department of the Interior, Bureau of Land Management or y a decree of a Court of Law and/or that the corner points mentioned in lines 3, 25 26 27 30 29 28 10 and 5 above were in conformance with the rules of the Michigan Board of and Surveyors or by a Decree of a Court of Law; established, re-established, 11 32 31 33 nonumented, recovered, found as expressed below: A. Description of original monument and accessories and/or subsequent resortation: G.L.O. 1815 Field Notes 1) 18" B.O. North 150 Links (Continued on Other Side) B. Description of corner evidence found and/or method applied in restoring or re-establishing corner: Found 1" Iron Gas Pipe. Removed and found nothing else. Replaced with 3/4" Iron Pipe with Aluminum Remonumenation Cap stamped 24620. C. Description of monument for corner and accessories established to perpetuate locating the position of the corner: 3/4" Iron Pipe with Remon Cap stamped 24620. 5) 18" Hickory S59°E 38.14 to Remon Tag on SW Side 26" Oak N17°W 110.26 to Remon Tag on E Side 39" Oak West 72.21 to Remon Tag on S Side 8) 14" Oak N85°E 20.44 to Remon Tag on N Side 11) 12"-8" Twin Hickory N45°E 26.93 to Nail on NW Side 13) 18" Twin Oak S25°W 78.39 to Remon Tag on SE Side **APPROVED** This Corner is not common to A-4, T2S, R6E. I conclude that after careful study of the record documentation and field observations, that this corner is accepted as the best available evidence of the position of the original corner. 12-21-98 COP THOMAS L SUCHERLAND Surveyor's Michigan License No.

A. (Continued from Front)

H.H. Atwell #332, Grid Book Iron Pipe

- 2) B. Walnut 10" N79°W 19.1
- 3) B. Walnut 10" N84°W 38.5
- 4) Group B.O. Sprouts from Pettibone's Tree S60°W 36.3
- 5) Hickory 10" S59°E 38.1
- 6) B. Oak 24" N17°W 110.1

Washtenaw Engineering, J. Oliver #19840 7/23/74 L.C.R.C. L4, P102; C. Wilson #13604 7/23/74 Dwg. R-3342

- 2) 14" B. Walnut N79°W 19.1
- 3) 14" B. Walnut N84°W 38.5
- 6) 30" Oak N17°W 110.1

Washtenaw Engineering, T. Sutherland 12/9/76 Field Notes 1" Iron Pipe (bent)

- 2) B. Walnut 20" N79°W 19.1
- 3) B. Walnut 18" N84°W 38.5
- 5) Hickory 14" S59°E 38.1
- 6) B. Oak 28" N17°W 110.1

Atwell-Hicks, J. Snyder #13352 11/26/79 Dwg. 507-98

- 7) 36" Oak West 72.4
- 8) 12" Oak East 20.7
- 9) 8"12" Twin Shag Hickory N32°E 45.9
- 5) 18" Shag Hickory S60°E 37.9

Atwell-Hicks, R. Macomber #27453 8/31/84 Dwg. 507-127

- 1" Iron Pipe
- 10) 1" Iron Pipe N23°W 76.01
- 3) 24" Stump West 37.96 (Nail)
- 11) Twin 8" Hickory N45°E 27.98 (Nail)

Atwell-Hicks 2/9/89 Dwg. 507-172

- 5) P.K. SW Side 16" Hickory S59°E 38.10
- 6) P.K. E. Side 28" B. Oak N17°W 110.10
- 7) P.K. S. Side 30" Walnut West 72.26
- 12) F. Spk. NW Side 8". Oak S45°W 26.75



- Copy -

SURVEY & REMONUMENTATION

NOV 02 1999

SECTION