SURVEY & REMONUMENTATION

MAY - 1 1995



Jan 10 9 43 AM 195

RECORDED

WASHTENAW GOUNTY. MI

For corners in

expressed below:

on this certificate.

LAND CORNER RECORDATION CERTIFICATE

)

COMMISSION PEGGY M. HAINES COUNTY CLERK/REGISTER Filing Requirement of Act 74, Mich. P.A. 1970

Washtenaw (County)		Located In:	Corner Code =##	-copy-
1.	Public Land Survey	T <u>3S</u> R <u>5E</u> T R T R T R	M-9	
2.	Property Controlling in Section	S T B S T B		LIBER 1 PAGE 271 RM Register of Deeds Stamp & File Number
3.	Miscellaneous	S T R		Register of Deeds Stamp & File Number
	Property in Sec.	S T R		
4.	Lot No	, Recorded Plat		A B C D E F G H I J K L
5.	Private Claims			
				1 6 5 5 4 3 7 2 7 7 1
, IX	Conneth R. Colem	an in a field survey onJu.	lv 12 194	5 7 8 9 10 11 11 11 12
do in	hereby certify that under lines 1 and 2 above were	requirements of P.A. 74, Michigan P.A. e in conformance with regulations and	of 1970, the corner points mention dirules therefore as required in t	ned 6 18 17 16 15 14 13-
		structions of the United States Depart of a Court of Law and/or that the corner		
		with the rules of the Michigan Board o		

Description of original monument and accessories and/or subsequent restoration: See back of sheet

NOTE: Not more than 4 corners, all in the same town and range, may be recorded

Court of Law; established, re-established, monumented, re-monumented, recovered, found as

B. Description of corner evidence found and/or method applied in restoring or reestablishing corner:

Found 3/4" iron pipe 12-14-93 See back of sheet

Э.	Description of monument for corner and	d accessories	established to perpetua	ate locating th	e position of the corner:
----	--	---------------	-------------------------	-----------------	---------------------------

Found 3/4" iron pipe w/W.C.R.C. cap. Set mon. box over it.

5) S20°W 36.58 48" Oak, RT, nail

7) S35°W 70.90 32" Maple, RT, nail

S10°W

S30° W 48.41 C/L Conc. Hitching Post 70" Oak, RT, nail 125.78

COLEMAN

Burveyor's Michigan License No. ___

J. Wampler D.S. 11-27-1815

Set Post for the cor. of Secs 24 & 25

- 1) From which a White Oak 12" in Dia. bears
- 2) S 2°E 350 Links Dist. No other timber near.

8-6-34 W.J. Armstrong W.C.R.C. Grid Book, Page 14 Found the mark of an old wood stake and a mass of stones, Reset with 1 1/2"x40" iron pipe, stones and bricks.

3) 12" B. Cherry, S 71 E, 56.7'

- 4)
- 28" B. Oak, S 15 E, 28.3' 40" B. Oak, S 21/2 W, 36.6' 36" B. Oak, S 20 W, 39.2' 16" Maple, S 35 W, 71.0' 5)
- 7)
- 6" Choke Cherry, N 41 E, 8) 20.74
- 9) Corner of Sections 19/30 Pittsfield Twp., North 147.6'

10-20-72 Atwell-Hicks, Inc. Liber 2, Page 387, W.C.R. Found 1 1/2" Iron Pipe.

- 12" Black Cherry, S 71 E, 56.7' 40" Black Oak, S 21 W, 36.6'
- 5)
- 24" Maple, S 35 W, 71.0' 56" Oak, S 10 W, 124.1' 7)
- 10)
- 12" Oak, N 55 E, 42.1'

4-11-78 Norman N. Fahrner

- 12" Walnut, N 60 E, 66.9' 12)
 - Cor. 19/30 Pittsfield Twp., North, 147.6'

Found 1 1/2" Iron Pipe

- 3) 12" Black Cherry, S 71 E, 56.7' 7) 28" Maple, S 35 W, 71.05'
- Silver Maple Clump, N 05 W, 89.27' to nail NE Cor. Conc. Post S 30 W, 47.6' 13)
- 14)

12-15-83 Atwell-Hicks, Inc. Job # 35205 Found 1/2" I.P.

- 3) 12" Black Cherry S71°E 56.7'
- 40" Black Oak S21°W 36.6' S35°W 71.0'
- 24" Maple 7) 71.0'
- 56" Oak S10°W 124.1'
- 11) 12" Oak N55°E 42.1'
- Cor. 19 & 30 of Pittsfield Township North 147.6 9)
- 12" Walnut N60°E 66.9'

7-31-91 Atwell-Hicks, Inc. Found 3/4"

Job # 90430

Liber 5, Page 42, W.C.R.

- Corner of Sec. 19 & 30 of Pittsfield Township North 147.6'
- 7)
- W. Face 24" Maple S35°W 71.0' to Nail E. Face 40" B. Oak S21°W 36.6' to Nail W. Face 56" W. Oak S10°W 125.7' to Gear Pin

12-14-93 Atwell-Hicks, Inc.

Found 3/4" Iron pipe w/obliterated cap

- 5) E. face 40 B. Oak S21°W 36.6' to Nail 7) W. face 24" Maple S35°W 71.0' to Nail
- 13) W. face 56" W.Oak S10°W 125.7' to gear pin

12-14-93 Atwell-Hicks, Inc.

- Found 3/4" iron pipe with obliterated cap
 5) E. face 40" B. Oak S21°W 36.6' to Nail
 7) W. face 24" Maple S35°W 71.0' to Nail
- 13) W. face 56" W.Oak S10°W 125.7' to gear pin

APPROVED DATE_3/8/94